

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Glutathione - 1500mg

Tested for: Amino Club
aminoclub.com

COA #: COA-2026-MNLX5T
Lot Number: GLT0002
Accession #: ACC-2026-9322
Labeled Content: 1500mg

Analysis Date: 07/30/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 10mL
Date Received: 07/09/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: ZEQQZUNVN

Method: Full QC Panel

Identity	Peptide Purity	
Glutathione	99.38%	 Fentanyl Free


Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.38%	%	PASS
Net Peptide Content	Report Only	1584.91	mg	N/A
Identity (HPLC-RTM)	Glutathione	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Glutathione 1500mg - GLT0002

HPLC Chromatogram



Glutathione 1500mg - GLT0002: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	ND	PASS
Cadmium (Cd)	NMT 0.5 ppm	ND	PASS
Lead (Pb)	NMT 1.0 ppm	ND	PASS
Mercury (Hg)	NMT 1.5 ppm	ND	PASS
Chromium (Cr)	NMT 10.0 ppm	ND	PASS



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/30/2026

COA #: COA-2026-MNLX5T
Access Code: ZEQQZUNVN
Verify: portal.ils-lab.com/verify/JIJRYTQV7RVVbe6v
Issued: 7/30/2026

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.12 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 07/30/2026. Methods: Full QC Panel.
2. The sample was confirmed to be Glutathione by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.




Dr. Greg Kalyuzhny
Lab Director
7/30/2026

COA #: **COA-2026-MNLX5T**
Access Code: **ZEQZUNVN**
Verify: <portal.ils-lab.com/verify/JJRYTQV7RVvbe6v>
Issued: 7/30/2026