

**ILS Laboratories**

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## Epithalon - 10mg

Tested for: Amino Club  
aminoclub.com


COA #: **COA-2026-G6URUD**  
Lot Number: **EPI0001**  
Accession #: **ACC-2026-3686**  
Labeled Content: **10mg**

Method: **Full QC Panel**  
Analysis Date: **06/08/2026**  
Appearance: **Good**  
Sample Matrix: **Lyophilized**  
Date Received: **06/01/2026**

**PASS**



Scan to verify authenticity at ils-lab.com  
Access Code: RAF75FGM

Identity	Peptide Purity	 <b>Fentanyl Free</b>
<b>Epithalon</b>	<b>98.97%</b>	




Epithalon 10mg - EPI0001

### Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	<b>98.97%</b>	%	<b>PASS</b>
Net Peptide Content	Report Only	<b>10.44</b>	mg	N/A
Identity (HPLC-RTM)	Epitalon	<b>Confirmed</b>	-	<b>PASS</b>
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	<b>Not Detected</b>	-	<b>PASS</b>

### HPLC Chromatogram



Representative chromatogram, Dedicated V0 (98.93% purity, closest to batch mean of 98.95%)

### HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	98.93%	10.19 mg	Confirmed	<b>PASS</b>
Conformity V1	98.97%	10.44 mg	Confirmed	<b>PASS</b>
Mean	<b>98.95%</b>	<b>10.31 mg</b>	—	—
Std Dev	<b>0.0200%</b>	<b>0.1250 mg</b>	—	—




**Dr. Greg Kalyuzhny**  
Lab Director  
6/8/2026

COA #: **COA-2026-G6URUD**  
Access Code: **RAF75FGM**  
Verify: [portal.ils-lab.com/verify/50M3mWTZDWo44UW](https://portal.ils-lab.com/verify/50M3mWTZDWo44UW)  
Issued: 6/8/2026

**Heavy Metals Analysis (ICP-MS)**

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

**Sterility Testing (PCR)**

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

**Endotoxin Testing (USP <85>)**

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	NMT 0.05 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

**Notes & Methodology**

1. Date Tested: 06/08/2026. Methods: Purity & Quant (HPLC).
2. The sample was confirmed to be Epithalon by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Dedicated V0 (98.93% purity, closest to batch mean of 98.95%).



**Dr. Greg Kalyuzhny**  
Lab Director  
6/8/2026

COA #: **COA-2026-G6URUD**  
Access Code: **RAF75FGM**  
Verify: <portal.ils-lab.com/verify/50M3mWTZDWvo44UW>  
Issued: 6/8/2026