

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

IGF-1 LR3 - 1mg

Tested for: Amino Club
aminoclub.com

COA #: **COA-2026-TU3CYU**
Lot Number: **IGF0001**
Accession #: **ACC-2026-3688**
Labeled Content: **1mg**

Method: **Full QC Panel**
Analysis Date: **06/10/2026**
Appearance: **Good**
Sample Matrix: **Lyophilized**
Date Received: **06/01/2026**

PASS



Scan to verify authenticity at ils-lab.com
Access Code: 2DRXGHJE

| | | |
|------------------|----------------|--|
| Identity | Peptide Purity |  Fentanyl Free |
| IGF-1 LR3 | 99.47% | |




IGF-1 LR3 1mg - IGF0001

Blend Purity & Quant (HPLC)

| Analyte | Specification | Result | Unit | Status |
|-----------------------|------------------------------|---------------------|------|-------------|
| Peptide Purity (HPLC) | >= 95.0% | 99.47% | % | PASS |
| Net Peptide Content | Report Only | 1.06 | mg | N/A |
| Identity (HPLC-RTM) | IGF-1 LR3 | Confirmed | - | PASS |
| Fentanyl Screen | Immunoassay, 50 ng/mL cutoff | Not Detected | - | PASS |

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.09% purity, closest to batch mean of 99.28%)

HPLC Conformity Testing Results (2 samples tested)

| Sample | Purity | NPC | ID | Result |
|---------------|----------------|------------------|-----------|-------------|
| Dedicated V0 | 99.09% | 1.03 mg | Confirmed | PASS |
| Conformity V1 | 99.47% | 1.06 mg | Confirmed | PASS |
| Mean | 99.28% | 1.04 mg | — | — |
| Std Dev | 0.1900% | 0.0150 mg | — | — |




Dr. Greg Kalyuzhny
Lab Director
6/10/2026

COA #: **COA-2026-TU3CYU**
Access Code: **2DRXGHJE**
Verify: portal.ils-lab.com/verify/e15pvTcdPJcYa5QF
Issued: 6/10/2026

Heavy Metals Analysis (ICP-MS)

| Test | Specification | Result | Status |
|---------------|---------------|--------------|--------|
| Arsenic (As) | NMT 1.5 ppm | Not Detected | PASS |
| Cadmium (Cd) | NMT 0.5 ppm | Not Detected | PASS |
| Chromium (Cr) | NMT 10 ppm | Not Detected | PASS |
| Mercury (Hg) | NMT 1.5 ppm | Not Detected | PASS |
| Lead (Pb) | NMT 1 ppm | Not Detected | PASS |

Sterility Testing (PCR)

| Test | Specification | Result | Status |
|-----------------|---------------|-----------|--------|
| Sterility (PCR) | No Growth | No Growth | PASS |

Endotoxin Testing (USP <85>)

| Test | Specification | Result | Status |
|----------------------|---------------|----------------|----------|
| Endotoxin (USP <85>) | Report Result | NMT 0.05 EU/mL | Reported |

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 06/10/2026. Methods: Blend Purity & Quant (HPLC).
2. The sample was confirmed to be IGF-1 LR3 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Dedicated V0 (99.09% purity, closest to batch mean of 99.28%).



Dr. Greg Kalyuzhny
Lab Director
6/10/2026

COA #: **COA-2026-TU3CYU**
Access Code: **2DRXGHJE**
Verify: <portal.ils-lab.com/verify/e15pvTcdPJcYa5QF>
Issued: 6/10/2026